





TRADITION | EQUIP AND ACCOMPANY

BERGEON, a manufacturer of professional tools and Equipment, has been working with watch brands and service centers for over 230 years. A leading company on the market, it offers the most comprehensive range of watchmaking tools in the sector: from screwdrivers to complete watchmakers' workbenches.

Constantly attentive to the needs of its customers, the company constantly offers innovations of products always more efficient and qualitative.

MASTERY | KNOW-HOW AND INDUSTRIAL PROCESS


BERGEON now masters its industrial processes and the technological know-how required to design and manufacture its tools within its factory. The integration of its various historical production sites has made it possible to concentrate high-performance equipment and the more than a century of know-how under the same roof. Complete control of the production chain guarantees the constant quality of its products. The production capacity ensures the continuity of deliveries throughout the world.

PRODUCTION | MANUFACTURING OF LATEST GENERATION

- 75% of BERGEON products are manufactured in-house and 25% are subcontracted in the region of Arc Jurassien.
- 14 CNCs (6 lathes, 2 thread lathes, 6 CNCs (3-4 axes) with robot
- Tribofinishing
- 2 fiber laser engraving units (ferrous and non-ferrous metals)
- In-house prototyping
- Product development according to customer specifications
- Customizable products
- Technical support, maintenance and after-sales service

INNOVATION | FROM IDEA TO DESIGN

The BERGEON R&D department has engineers, builders, drafters and designers who create and develop new products to meet the needs of its customers. Curious and attentive to the latest technologies, they design the products of tomorrow and reindustrialize others for greater performance.





传承 | 工具与伙伴

BERGEON是一家历史悠久的工具和设备制造商，与各大品牌手表厂商及维修中心合作超过230多年。作为行业内的龙头公司，我们提供种类最齐全的制表工具：从螺丝刀到制表师工作台。我们时刻关注客户的需求，不断创新产品，提高效率和质量。

精湛 | 专业技术及生产流程


BERGEON 近年整合了各地车间集中于新厂房内，添置高性能设备，拥有自主研发及制造工具的专业技术和能力。全面掌控生产流程，保证产品质量稳定。大规模的生产能力，确保产品交付全球客户的连续性。

生产 | 用最新设备制造

- 75%由BERGEON自主生产，25%由Arc Jurassien地区的厂商承包生产
- 14 台数控机床(6 台车床、2 台螺纹车床、6 台带机器人的3-4 轴数控机床)
- 磨擦抛光
- 2台光纤激光雕刻机(黑色金属及有色金属)
- 自主原型设计
- 按客户提供的规格，进行产品开发
- 按客户要求定制产品
- 技术支援、维护及售后服务

创新 | 从创意到设计



为满足客户的需求，BERGEON研发部门的工程师、建模师、设计师及绘图员，利用最新技术，研究和开发新产品，并改良现有产品以提高其功能。



NEW

9830

SWISS MADE 



268 x 200 x 78 mm

Device for removing tubes, correctors and pushers with assortment of stakes, in a case

Composition of the assortment: 21 steel stakes, on stand
Stakes for the drive-out support

- 4 stakes to drive-out tubes
- 5 stakes to drive-out correctors and pushers

Stakes for the broach

- 5 stakes to drive-in tubes
- 1 conical and centring stake
- 4 hollow stakes to drive-out pushers (2 with active part in brass and 2 with active part in PEEK)
- 1 stake, concave R5, to drive-in pushers (with active part in PEEK)
- 1 stake, truncated cone, to drive-in correctors (with active part in PEEK)
- Supplied with 2 hexagonal keys for assembling and removing the stakes from the drive-out support and the broach

9830-AS: Device only, with 2 hexagonal keys, without stakes / **9830-S:** Stand alone

拆 / 装把管、日历校正键及按钮工具
含各种压头，带泡棉保护塑料盒包装

压头组合：21个钢质压头，放置在胶座上

安装于支架上使用

- 4个用于拆除把管压头
- 5个用于拆除日历校正键及按钮压头

安装于推压杆上使用


- 5个用于安装把管压头
- 1个圆锥形定心压头
- 4个用于拆除按钮的中空压头
- (2个带黄铜材质前端及2个带 PEEK 塑料材质前端)
- 1个用于安装按钮的R5凹面压头(带 PEEK 塑料材质前端)
- 1个用于安装日历校正键的平头圆锥压头(带 PEEK 塑料材质前端)
- 附带2把六角扳手，用于压头支架及推压杆上

9830-AS: 只有工具，附带2把六角扳手，不含压头及包装盒 **9830-S:** 放置压头底座

NEW

9810

SWISS MADE 



130 x 60 x 70 mm



510 g

Device for removing watch pressured bezels

Easy-to-use device for removing chased watch pressured bezels. The frame is made of POM to protect watch cases. It has four circular hardened steel knives, carefully integrated into the frame, removable and resharpenable, for use all round.

- Opening capacity; case Ø from 17 to 60 mm
- Supplied with a torx spanner (TX30) for mounting and dismounting the knives.

Caution: extremely sharp knives.

拆除手表前圈工具

易于使用的拆除手表前圈工具。POM 材质支架，不伤表壳。4 片圆形硬化钢刀片，可拆下重磨，重复使用。

- 适用表壳尺寸：Ø 17 至 60 mm
- 附带梅花扳手 (TX 30) 用于装拆刀片

注意：極其鋒利的刀具。

MAGNET-O

NEW



8804

SWISS MADE



517 g
120 x 120 x 40 mm

MAGNET-O demagnetiser

Magnetic fields affect the running accuracy of mechanical watches, which may advance or lag. It is a good idea to demagnetise the mechanism after each overhaul or cleaning, whether it is complete or dismantled.

Tools can also be a «source of danger» and carry magnetism. That's why we recommend demagnetising them before using them on watches.

At the touch of a button, the MAGNET-O demagnetises a complete watch, dismantled parts, cases or tools in a few thousandths of a second. Warning: quartz electronic watches must not be demagnetised.

- Black anodised aluminium case.
- Power supply: 1 USB-C cable.
- Operating time: ~ 400 starts and demagnetisations.

MAGNET-O 自动测磁消磁器

磁场影响机械表的走时准确度，偏快或慢。每次维修或清洁机械表后，无论是整块手表还是拆解的零件，最好进行消磁。

工具也可能带有磁性，令手表有受磁的风险，建议在使用之前进行消磁。

只需按一下按钮，MAGNET-O 自动消磁器即可在千分之几秒内，对整块手表、拆解的零件、表壳或工具进行测磁消磁。

警告：石英电子表不得消磁。

- 黑色阳极氧化铝外壳
- 操作时间：~ 400 次启动和消磁
- 电源：1 条 USB-C 连接线


EASYWINDER



31408-E



31408-S-SET



31408

SWISS MADE



Ø 18 x 135 mm




80 g

Motorized watch winder

- Anodised aluminium body
- Modes: «Stop», «Left-hand winding» and «Right-hand winding»
- Activation of the rotation by pressing the crown or by pulling the ring slightly
- Battery: Nimh LR03 (AAA)
- Battery life: 120 minutes on full charge
- Disengagement by direct friction
- Universal elastomer coupling
- No-load speed of 150 rpm
- Maximum torque of 40 mNm
- Supplied in black box with:
2x rechargeable batteries and mini USB charger + mains adapter
1x stainless steel screwdriver Ø 2.00 N° 30081-200
1x interchangeable tip with standard eraser N° 31408-E
- **31408-S-SET:** Set of 5 silicone tips for changing the date


电动手表上链器

- 阳极氧化铝材质手柄
- 模式：《停止》、《顺时针旋转》及《逆时针旋转》
- 转动圆环，选择旋转方向；向前推压表把或拉后圆环，启动旋转
- 电池：Nimh LR03 (AAA)
- 电池续航力：充满电时120分钟
- 发条上满时停止转动
- 人造橡胶材质夹头，适合不同尺寸表把
- 空载转速 150 rpm
- 最大扭矩 40 mNm
- 黑色硬纸盒包装，配送：
2x 充电电池及mini USB充电器 + 电源接头
1x 不锈钢螺丝刀 Ø 2.00 N° 30081-200 (更换夹头用)
1x 可更换夹头 N° 31408-E
- **31408-S-SET:** 套装 5 个硅胶夹头



8935-1

SWISS MADE



175 x 70 x 100 mm
465 g

Setting tool with 1 runner for hands

Device for precise and controlled setting of watch hands. The tip is held in the spindle by an o'ring, which allows a quick change ①.

- Anodised aluminium structure
- Stakes made of synthetic material, quick-change
- Base Ø 31 mm
- Enhanced guidance of the spindles
- Precision alignment spindles / base
- Compatible with movement holders Bergeon N° 7100 and with the B-Force N° 8935-KCF, power sensor device




单针装针机
精确控制安装表针 ①。

- 阳极氧化铝制造
- 合成材料制压头
- 底座 Ø 31 mm
- 强化针轴套筒
- 高精度中轴线，中轴/底座
- 选配 Bergeon N° 7100 机芯座和 B-Force N° 8935-KCF
- 装针力度监测仪



6935-TP

SWISS MADE



176 x 40 x 26 mm
65 g

Set of 5 PEEK stakes for hands

For setting tools 6012, 8935 and hand setting tools 8404-16.

Stakes

- **6935-TP060:** grey, ØA 1.70 mm, ØB 0.60 mm
 - **6935-TP120:** red, ØA 2.10 mm, ØB 1.20 mm
 - **6935-TP160:** yellow, ØA 2.60 mm, ØB 1.60 mm
 - **6935-TPL150:** blue, undrilled, ØA 1.50 mm
 - **6935-TPL260:** black, undrilled, ØA 2.60 mm
- The Ø 2.60 mm is to be amended by the end-user according to his needs

套装5个PEEK塑料压头

适用于压针器 6012、8935 及 8404-16。

- **6935-TP060:** 灰色, ØA 1.70 mm, ØB 0.60 mm
 - **6935-TP120:** 红色, ØA 2.10 mm, ØB 1.20 mm
 - **6935-TP160:** 黄色, ØA 2.60 mm, ØB 1.60 mm
 - **6935-TPL150:** 蓝色, 未穿孔, ØA 1.50 mm
 - **6935-TPL260:** 黑色, 未穿孔, ØA 2.60 mm
- Ø 2.60 mm 压头, 可按用户需要, 自行修改

NEW

15285-

SWISS MADE 



Staking tools and friction jewellery outfit, in a case

The staking tools **15285-B** et **-D** are made of die-cast alloy, and the staking tools **15285-93C** et **140.92** made of machined cast alloy.

Guiding canon **Ø 4.7 mm**.

All four are supplied in a case with an assortment of numbered pushers and stakes, as well as pushers for one of them. Bases are included to accommodate these tools.

On request, a wooden box * (traditional) can be supplied separately.

精准套装表冲及压钻器 塑料盒包装

套装表冲**15285-B** 及 **-D**，压铸合金材质
套装表冲**15285-93C** 及 **-140.92**，机铸合金材质

主轴孔 **Ø 4.7 mm**

四款表冲及压钻器都有：
泡棉保护塑料盒包装
冲子及冲垫都有编号
带底座放置冲子及冲垫

可按要求加配(传统)木盒*

 **BERGEON**
MANUFACTURED

15285-140.92

STAR Staking tool and friction jewellery outfit, made of machined cast alloy, with 105 punches, 12 pushers and 25 stakes, with base.

STAR 套装表冲及压钻器，机铸合金材质，105 支冲子，12 支推杆及 25 个冲垫，含加高台垫。



15285-93C

STAR Staking tool and friction jewellery outfit, made of machined cast alloy, with 120 punches and 24 stakes, with base.

STAR 套装表冲及压钻器，机铸合金材质，120 支冲子及 24 个冲垫，含加高台垫。



15285-D

Staking tool, made of die-cast alloy, with 100 punches and 20 stakes, with base.

套装表冲，压铸合金材质，100 支冲子及 20 个冲垫，含加高台垫。



15285-B

Staking tool, made of die-cast alloy, with 50 punches and 10 stakes, without base.

套装表冲，压铸合金材质，50 支冲子和 10 个冲垫，不含加高台垫。




* on request
* 按要求





31300-P

SWISS MADE 




185 x 100 x 60 mm

510 g


SEITZ by Bergeon Jewelling tool

1. Roller lever to reduce frictional forces
2. Micrometric adjustment to 0.01 mm of the driving height.

- Anodized aluminum frame with non-slip base
- 4H7 reaming in spindle and base
- Useful working height 24 mm
- Spindle with low coefficient of friction thanks to a bronze bearing
- Detachable spindle
- Removable lever to use the tool as a reaming tool



31300



31300-ASS

Bergeon制造SEITZ压钻工具

1. 低摩擦滚轮杠杆手柄
2. 微调精度0.01 mm

- 阳极氧化铝材质支架及防滑底座
- 主轴和底座内孔为4H7
- 适用高度24 mm
- 青铜轴承主轴，减少磨损
- 可分拆主轴
- 移走杠杆后，用作铰孔工具



5700-Z-BD

SWISS MADE



180 x 256 x 460 mm
3.265 g

Device with torque spindle for closing waterproof watch cases

The new version of the 5700 device is fitted with a torque spindle for safe, precise screwing of watch case backs. Equipped with a very stable base, the new device allows the screwing operation to be carried out in complete safety.

Unidirectional torque release (clockwise).

Tightening power: 1 to 5 Nm.

Handwheel: Ø 160 mm. Wooden stand: 180 x 256 mm.

Supplied with:

- 1 superior vice, opening up to Ø 60 mm, N° 5700-04-G.
- 6 pairs of chucks, N° 2835-A, -B -C, -D, -E and -F.
- 4 pairs of reversible caseholder dies (lug widths: 9/11, 13/15, 17/19 and 20/22 mm), N° 5700-B, -C, -D and -E.
- 1 wooden stand.

带扭力主轴的表壳后盖机，避免过度拧紧后盖

5700 开关表壳后盖机系列新成员，可设置主轴扭力，底板宽阔稳固。更安全、精确，避免过度用力拧紧表壳后盖。

单向(顺时针)扭力

拧紧力度：1 至 5 Nm

手动转盘：Ø 160 mm；木质底板：180 x 256 mm


配置：

- 1 个夹头，可开直径不大于 Ø 60 mm 后盖，N° 5700-04-G
- 6 对卡头，N° 2835-A、-B、-C、-D、-E 及 -F
- 4 对固定表壳座
N° 5700-B、-C、-D 及 -E
(表耳宽度：9/11、13/15、17/19、20/22 mm)
- 1 块木质底板

NEW

31006 ...

SWISS MADE 



 **BERGEON**
MANUFACTURED

Assortment of 12 cutters with 1 cutter-holder on rotating base

Cutters made of hardened steel (63 HRC), shank $\varnothing$ 4.7 mm. for use on staking tools with a $\varnothing$ 4.70 mm guiding canon, such as staking tools in the 15285, 8745 or 6780 ranges.

These cutters may be used with the SEITZ staking tool.

Base made of POM ($\varnothing$ 44 x 32 mm).

- 4 chamfering tools ($\varnothing$ 2.00, 3.00, 4.00 mm). 
- 4 cutter removers ($\varnothing$ 1.30, 2.50, 4.00 mm). 
- 2 cutter removers, 4 cutting edges ($\varnothing$ 3.00, 4.00 mm). 
- 2 conical cutters, 60° ($\varnothing$ 3.00, 4.50 mm). 
- 1 cutter-holder 31006-M. 



套装 12 个刀嘴，带 1 把手柄 旋转底座

硬化钢 (63 HRC) 材质刀嘴，手柄直径 $\varnothing$ 4.7 mm。

用于 $\varnothing$ 4.70 mm 主轴孔的表冲，例如：15285、8745 或 6780 系列工具。

可用于 SEITZ 表冲

POM ($\varnothing$ 44 x 32 mm) 材质底座

- 4 个切削倒角刀嘴 ($\varnothing$ 2.00、3.00、4.00 mm) 
- 4 个去毛刺刀嘴 ($\varnothing$ 1.30、2.50、4.00 mm) 
- 2 个 4 刃去毛刺刀嘴 ($\varnothing$ 3.00、4.00 mm) 
- 2 个圆锥形切削刀嘴，60° ($\varnothing$ 3.00、4.50 mm) 
- 1 把双头手柄 31006-M 




 **BERGEON**
MANUFACTURED

1895-AC6

SWISS MADE 



1895-1	Ø 1.75 / 1.85 mm
1895-2	Ø 2.10 / 2.35 mm
1895-3	Ø 2.75 / 3.00 mm
1895-4	Ø 3.40 / 3.80 mm
1895-5	Ø 4.10 / 4.70 mm
1895-6	Ø 5.00 / 5.80 mm




120 x 80 x 20 mm

120 g

Assortment of 6 double end wheel countersinks

- Hardened steel wheel
- Stainless steel handle
- In cardboard box

套装6支双滚轮铣刀




- 硬化钢脚轮
- 不锈钢手柄
- 纸盒包装



1895-P06

NEW

Ø 1.20 ●
Ø 1.40 ●
Ø 1.60 ●



7965-MTX

SWISS MADE



130 x 106 x 27 mm



125 g

Assortment of 3 for bracelet screws

- Stainless steel body with special knurled profile
- Head in self-lubricating, synthetic POM material
- Blades with parallel-flanks made of hardened steel 59 (±1) HRC, Ø 1.20, 1.40 and 1.60 mm
- With a removable drum, ref 7965-T, for increased clamping force

套装3 支特殊批花刀杆表匠螺丝刀，带平行刀嘴

- 不锈钢刀杆
- POM合成塑料材质自动润滑旋帽
- HSS 61 HRC高速钢平行刀嘴，Ø 1.20、1.40 及 1.60 mm
- 带加力圆环，N° 7965-T，增加扭力



7965-T



7965-MTX-120



7965-MTX-140



7965-MTX-160

SWISS MADE 



Ø 0.50 
 Ø 0.60 
 Ø 0.80 
 Ø 1.00 
 Ø 1.20 
 Ø 1.40 
 Ø 1.60 
 Ø 2.00 
 Ø 2.50 
 Ø 3.00 



Assortment of 10 watchmaker's screwdrivers

- Stainless steel body
- Ergonomic head made of POM synthetic material self-lubricating (Ø 13 mm)
- Blade in hardened stainless steel, 54 HRC, N° 6899-M
- With 10 tubes of spare blades
- **30081-AC10:** In cardboard box
- **30081-AM-10:** in plastic case, ideal for transport

套装10支表匠专用螺丝刀


- 不锈钢材质手柄
- POM合成塑料材质自动润滑旋帽(Ø 13 mm)，符合人体工学
- 54HRC硬化不锈钢刀嘴 N° 6899-M
- 配备10 筒备用刀嘴
- 30081-AC10: 硬纸盒包装
- 30081-AM-10: 塑胶盒包装，方便运输





31081-...

SWISS MADE 



Non-magnetic watchmaker's screwdriver

- Light and ergonomic
- Anodized aluminum body
- Ergonomic head made of POM synthetic material self-lubricating (Ø 13 mm)
- Conical non-magnetic blade in Declafor 1015, N° 8899-M

表匠专用防磁螺丝刀

- 轻便及符合人体工学
- 阳极氧化铝材质手柄
- POM合成塑料材质自动润滑旋帽(Ø 13 mm)，符合人体工学
- Declafor 1015 铜合金材质防磁刀嘴，N° 8899-M



31081-AC10



31081-S10



31081-S09



31081-P05



7902-...

SWISS MADE



- Ø 1.00 ●
- Ø 1.20 ●
- Ø 1.40 ●
- Ø 1.60 ●
- Ø 2.00 ●
- Ø 2.50 ●
- Ø 3.00 ●



Ø 13 x 104 mm



32 g

Precision Screwdriver

Suggested for Repairing, Watchmaking and Optics. Used with our accessories range N° 6901-TBPR.

1. Quick adapter in Stainless steel N° 7902-AR
2. 2 Coloured rings for the identification of the blade Ø N° 7902-OR-...
3. Reduction sleeves in Stainless steel Ø ext. of 3 mm and Ø int. of 0.5 to 2.5 mm N° 6895-D

- Head made of synthetically material POM-C
- Body made of anodised aluminium
- Blade made of hardened stainless steel 54HRC N° 6899-M

精密螺丝刀


粗手柄，适用于后盖螺丝、眼镜及其他产品。配合 6901-TBPR 配件系列使用。

1. 不锈钢快速刀嘴转换头 N° 7902-AR
2. 2个识别刀嘴尺寸颜色胶圈 N° 7902-OR-...
3. 不锈钢套筒 N° 6895-D，外径Ø 3 mm，内径Ø 0.5至2.5 mm

- 阳极氧化铝材质手柄
- 54HRC硬化不锈钢刀嘴 N° 6899-M
- POM-C合成塑料材质旋帽

NEW

5474



Ø 22 x 107 mm



55 g

UV torch

For checking fluorescent oils and detecting dust. Useful for collectors to reactivate superluminova or authentication.

- Made of aluminium.
- Light colour: blue, 2 intensities.
- LED type 645 Nm, USB rechargeable battery.


紫外线手电筒

无损检测夜光表油、表盘尘粒、夜光表针、夜光刻度。适用于 Super-LumiNova 超级夜光材料或鉴定。

- 铝质筒身。
- 灯光颜色：蓝色，两种强度
- LED 645 Nm，USB 充电口及内置电池



SWISS MADE



156 x 178 x 21 mm
~ 265 g



Assortment of 6 tweezers

In cardboard box.

• 7026-AC6

B-JET: made of nonmagnetic steel.

• 7506-AC6

B-JET: made of nonmagnetic steel.

B-NOX: made of stainless steel.

GF: made of brass with gold flash plating.

CPR: made of nonmagnetic steel with Peek tips.

GDR: made of nonmagnetic steel with Delrin tips.

7026-AC6	HV	%	A	B	mm	mm
7026-1	230	80	0.10	0.15	120	10
7026-2	230	80	0.05	0.15	120	10
7026-3	230	80	0.10	0.15	120	10
7026-5	230	80	0.06	0.10	110	10
7026-AA	230	80	0.30	0.25	125	10
7026-00	230	80	0.50	0.90	120	10

套装 6 把镊子

硬纸盒包装

• 7026-AC6

B-JET: 非磁性钢材质

• 7506-AC6

B-JET: 非磁性钢材质.


B-NOX: 不锈钢材质.

GF: 黄铜材质, 光亮镀金

CPR: 非磁性钢材质, PEEK 塑料镊子头

GDR: 非磁性钢材质, DELRIN 塑料镊子头

7506-AC6	HV	%	A	B	mm	mm
7024-2	230	65	0.05	0.15	120	10
7024-3	230	65	0.10	0.15	120	10
7027-5	700	0	0.06	0.10	110	10
7029-2AM-GF	200	100	0.15	0.30	125	10
6571-CPR-5	1470	100	0.50	0.50	130	10
6571-DGR-3	1300	100	0.50	0.50	130	10



SWISS MADE



130 x 10 mm
~ 17 g

Tweezers with replaceable flat-tipped tips

Ideal for handling needles.

- Nonmagnetic steel tweezers made of C, Cr and Ni
- Replaceable tips
- Industrial standard finish
- **6571-BUR-...**: With wooden tips
- **6571-RN-...**: With red natural resin tips

平头镊子，可更换镊子头

非常适用于夹取表针。

- C、Cr及Ni防磁钢材质
- 可更换镊子头
- 工业标准表面处理
- **6571-BUR-...**：带木镊子头
- **6571-RN-...**：带红色天然树脂镊子头

N°	Code	Janka	%	A	B	mm	mm
6571-BUR-F	BUR	2600	100	0.50	2.00	130	10
6571-BUR-3	BUR	2600	100	0.50	0.50	130	10
6571-RN-3	RN	—	100	0.50	0.50	130	10

NEW



7571-COB

SWISS MADE 

7571-COB-3



7571-COB-4




120 x 10 mm

~ 17 g

Cobalt alloy tweezers

- Fully non-magnetic
- Very high elasticity and excellent resistance to fatigue, corrosion and acids
- Resistance to temperatures up to approx. 500°C
- Applications: aeronautics, aerospace, watchmaking, electronics, various laboratories

钴合金镊子

- 完全非磁性
- 弹性非常高及抗金属疲劳、耐腐蚀、耐酸性的表现优异
- 耐高温达约 500°C
- 应用范围：航空、航天、制表、电子、各种实验室

N°	Code	HV	 %	A	B	 mm	 mm
7571-COB-3	COB	201	100	0.10	0.15	120	10
7571-COB-4	COB	201	100	0.10	0.10	120	10



NEW

32228

SWISS MADE 



 **BERGEON**
MANUFACTURED


252 x 209 x 72 mm

Watch-strap punching device

Tool to make holes in leather straps.

- Perfectly repeatable centre-to-centre distance and anti-rotation ① on the indexing pins to be in line with the existing holes.
- Lateral graduation.
- Supplied with tooling ② for Ø 1.60 mm and 2.00 mm holes.
- In plastic case.

表带打孔工具

在皮带上打孔的工具。

- 分度销上的中心距和防旋转功能 ① 可完美重复，与现有孔保持一致。
- 横向刻度。
- 提供适用于Ø 1.60 mm 和2.00 mm 孔的工具 ②。
- 胶盒包装。



9988

SWISS MADE



Ø 50 x 64.5 mm



60 g

Assortment of 10 pins to drive out with pin holder

- 10 pins to drive out in hardened stainless steel (52-54 HRC), NO. 6745-G DI ...
- Ø : 0.40, 0.60, 0.70, 0.80, 0.90, 1.00, 1.20, 1.50, 1.80, 2.00 mm
- 1 tempered stainless steel pin holder, No. 6744-PG
- On POM base

10 支套装冲针，带手柄

- 10 支加硬不锈钢 (52-54 HRC) 材质冲针
N° 6745-G DI ...
- Ø : 0.40、0.60、0.70、0.80、0.90、1.00、1.20、1.50、1.80、
2.00mm
- 1 支不锈钢手柄，No. 6744-PG
- POM 塑料底座



6745-G DI ...

NEW

**78000-
F359000**

SWISS MADE 



80 x 225 x 25 mm



270 g

Strap Punching plier

With 4 cylindrical punches and 2 oblong-shaped ones, the plier offer exceptional versatility. Whether it's leather or rubber, these pliers make adding extra holes effortless. The 6 available hole sizes cater to the majority of watches on the market.

- 4 cylindrical punches: 1.20 / 1.60 / 2.00 / 2.50 mm
- 2 oblong shapes: 2.60 x 1.60 / 4.50 x 2.00 mm

表带打孔钳

带有4个圆柱形打孔器和2个长圆形打孔器，用途广泛。无论是皮革还是橡胶，这些钳子都可以轻松添加额外的孔。6种可用的孔尺寸可满足市场上大多数手表的需求。

- 4 个圆柱形打孔器： 1.20 / 1.60 / 2.00 / 2.50 毫米
- 2 个长圆形： 2.60 x 1.60 / 4.50 x 2.00 毫米

NEW

31410

SWISS MADE 




L: 162 mm

110 g

Plier for cutting rings

These pliers have been re-industrialised to improve ergonomics and ensure a comfortable grip. The cobalt steel saw guarantees a clean, precise cut. Suitable for all types of precious metal rings, it can also be used to cut stainless steel. Precise, safe and reliable pliers for professional jewellers.

- Made of anodised aluminium.
- With chromium-cobalt steel saw, Ø 30 mm.
- Specially made for cutting stainless steel.

精确切割戒指钳子


经过重新工业化改造，改善人体工学，确保抓握舒适。钴钢锯片确保干净、精确的切割。适用于所有类型的贵金属戒指，也可用于切割不锈钢。

精确、安全、可靠，适合专业珠宝工匠使用。

- 阳极氧化铝材质
- 铬钴钢锯片，Ø 30 mm
- 专门用于切割不锈钢。

 **BERGEON**
MANUFACTURED

4469



Ø 62 x 18 mm



96 g

Semi-achromatic hand magnifier

- Magnification 3.5x
- Double lens, Ø 48 mm
- High optical quality
- Contoured rubber cover for a better grip
- Delivered in its case

半消色差放大镜

- 放大倍率 3.5x
- 双透镜，Ø 48 mm
- 光学质量高
- 金属外圈
- 包上橡胶，更好握稳
- 布袋包装

NEW

15664

SWISS MADE 




Ø 28 x 17 mm

3 g

Additional eyeglass

- Made of synthetic material.
- Additional magnifications 6.5 to 7 x
- Removable lens.
- Compatible with magnifiers 2611, 3611 and 7913

增倍附加镜

- 由合成材料制成。
- 附加眼镜放大倍数 6.5 至 7 倍
- 可拆卸镜片。
- 可与放大镜 2611、3611 和 7913 系列兼容




7580-V4



7580-...

SWISS MADE



Watchmaker's workbench

A compact and modern workbench that can be integrated into various watchmaker's workshop configurations.

- Adjustable height by electrical control: 65 - 125 cm
- Load capacity: 100 kg
- 3D armrest system with ball-and-socket joint, upholstered in leatherette for optimum ergonomics
- Laminated compact HPL worktop, (WxDxH) 1200 x 780 x 20 mm
- With recess on the edges for retrieving parts
- Voltage: 230 V (110 V on request)

Various models available

- **7580-V1**: Without options
- **7580-V2**: Spandrel channel ①; built-in, folding power socket ②
- **7580-V3**: Spandrel channel ①; built-in, folding power socket ②; powder-coated aluminium rear panel
- **7580-V4**: Spandrel channel ①; built-in, folding power socket ②; powder-coated aluminium rear panel; Waldmann LED lamp 7225; BIFLEX rigid air-vacuum dispenser 7943-SCR

制表师工作台

简洁现代，適用於各式制表师工作间。

- 电控调节高度：65 - 125 cm
- 负载能力：100 kg
- 3D 手靠，带球窝接头，人造革软垫，符合人体工学
- 高压层积板（HPL）制作的台面，1200(宽) x 780 (深) x 20(厚)mm
- 台边有凹槽，方便捡回零件
- 电压：230 V (可按客户要求提供 110 V)

型号选择

- **7580-V1**：基本型
- **7580-V2**：配备：拱形电缆通道 a；内置折叠式电源插座 b
- **7580-V3**：配备：拱形电缆通道 a；内置折叠式电源插座 b；粉末涂层铝制背板
- **7580-V4**：配备：拱形电缆通道 a；内置折叠式电源插座 B；粉末涂层铝制背板；Waldmann LED灯 7225；BIFLEX 硬管吸尘套件 7943-SCR



7943-SCR

SWISS MADE 



①



②



2x : Ø 25 x 650 mm



~ 2.6 kg

BIFLEX rigid air-vacuum dispenser, without counterweight

This air vacuum combi allows to limit the space under the workbench table and is adaptable on the great majority of the workbenches available on the market.

- A. Tube extension
- B. Hose extraction
- C. Locking device

- Rigid
- Without counterweight
- Pivoting
- Blower 7809-R45
- Vacuum stylus 8809-R45 and soft brush 8809-B2

BIFLEX 曲颈吹尘吸尘套件，不带配重装置

适用于大多数工作台及节省工作台下方空间

- A. 软管可伸延
- B. 管道可拔出
- C. 锁定软管装置

- 坚固曲颈
- 不带配重装置
- 可旋转
- 吹尘笔 7809-R45
- 吸尘笔 8809-R45 及软毛扫 8809-B2



7808-...

SWISS MADE 





Anti-skid bench mat

- Lightly structured
- Flexible and isopropyl alcohol resistant surface
- Anti-skid undersurface
- Easy to cut
- Thickness: 2 mm
- Available in two formats:
320 x 240 mm
240 x 160 mm (...-S)

防滑台垫

- 防滑表面
- 柔韧且耐酒精
- 防滑背面
- 易于切割。
- 厚度：2mm
- 有两种尺寸可供选择：
320×240mm
240×160mm (...-S)





Hand brush

For cleaning watches, bracelets and clasps.

- Handle made of anodised aluminium
- With horsehair bristles
(different bristle types available on request)
- Can be used with GlassClean No. 7978

毛刷

用于清洁手表、表带和表扣。

- 手柄采用阳极氧化铝制成
- 配有马毛刷毛
(可根据要求提供不同类型的刷毛)
- 可与 GlassClean No. 7978 一起使用

6415

SWISS MADE

Ø 9 x 93 mm
13 g



Rectangular casing cushion in rubber

- Rectangular casing cushion in rubber

长方形橡胶表垫

- 长方形橡胶表垫

30097-R

70 x 50 x 15 mm
73 g



Cleaning stick made of Peek

Perfect for removing glue residues from glasses watches.

- Avoids scratching on precious metals as well as on soft materials.
- Leave no trace.
- Can be re-sharpened.
- One end pointed. One end flat.

Peek 清洁棒

非常适合刮除手表玻璃上多余的胶水


- 不会划伤贵金属或软材料。
- 不留痕迹。
- 可被反复削尖。
- 一端尖头，一端平头。

17216

SWISS MADE

Ø 6 x 180 mm
6 g





**78000-
H48300...**



Boxwood pegs

For stone cleaning work, as well as polishing and bevelling. The qualities of boxwood have been prized throughout time. Boxwood is excellent for making tools because of its thin, homogeneous texture, and above all because it is one of the hardest and most wear-resistant woods.

- Genuine boxwood
- 150 mm
- Bundles of 20 pegs

黄杨木条

用于清洁宝石，以及抛光和倒角
黄杨木的品质历来备受推崇。

黄杨木质地薄而均匀，是制作工具的绝佳材料，最重要的是它是最坚硬、最耐磨的木材之一。

- 真正的黄杨木
- 150 毫米
- 20 条一捆



Cleaning: (violet)

清洁：(紫色)

78000-H483001-25, 78000-H483001-30



Bevelling - Polishing: (green)

倒角-打磨：(绿色)

78000-H483002-30



Peg holder: (only for Ø 3 mm)

木条套筒：(只适用于Ø 3 mm)

78000-H483000-30



NEW



8033

RODICO ESD



~ 62 x 80 x 5 mm
43 g

RODICO ESD cleaning product

The latest addition to BERGEON's RODICO product range. Designed to meet the needs of demanding professionals in the watchmaking and electronics industries, RODICO ESD offers an anti-static solution for cleaning components and optimum protection against potentially harmful electrostatic discharges.

- Pre-cut pads for ease of use
- Complies with the norm **IEC 61340-5-1:2016**
- Wrapped in antistatic packaging



6033-1



7033-1

RODICO ESD 粘尘除污胶


BERGEON RODICO 产品系列的最新成员。RODICO ESD 专为满足制表和电子行业专业人士的需求而设计，提供用于清洁组件的防静电解决方案，并针对潜在有害的静电放电提供最佳保护。

- 预切小块，方便使用
- 符合 **IEC 61340-5-1:2016** 认证标准
- 防静电包装

NEW

**78000-
E326000**

SWISS MADE 




Ø 68 x 110 mm

75 g

Universal handle for screw-down case-backs

This handle has an adhesive synthetic contact surface, enabling you to open and close any watch case-backs without any other tools.

Contact sphere made of synthetic material, adhesive. Non-scratching.

Contact area adjustable.

带把手螺旋式后盖开盖器

此开盖器具有粘性合成接触面，让您无需任何其他工具即可打开和关闭任何手表表壳底盖。

接触球由合成材料制成，粘性好。不会刮伤。
接触面积可调。

B-BALL

NEW



8009



Ø 67 mm
50 g

B-Ball, to open and close screwdown case backs


Inexpensive, easy-to-use this case opener allows most watches to be opened and will not leave marks.

- Made of rubber.

B-Ball 用于 开 / 关 手表后盖

容易使用，开关手表后盖，不留痕

- 橡胶材质



WATCH CARE

NEW

7821-TK3



①



305 g



136 x 200 x 62 mm

Watch Care, ideal travel kit for transport, observation and maintenance of the watch

- Black hard-shell case with nylon lining.
- Separate zipped compartment ① for 1 or 2 watches.
- Foam lining.
- **Content:**
 - 1x No. 2.5 (4x) soft black synthetic rubber eyeglass No. 3611-N-2.5.
 - 1x Black anodised aluminium spring-bar tool with standard point and fork No. 5767-S.
 - 1x Microfibre cloth, black, 250 x 250 mm No. 7850-2-N.
 - 1x Hand brush No. 6417.
 - 1x Glass Spray No. 7821-GS.
 - 1x tube containing two cleaning sticks (Ø 3 mm) No. 2583-T.

Watch Care 便携式手表检测及保养工具包

- 黑色硬壳包，尼龙里
- 拉链隔层 ① 存放 1 或 2 只手表
- 泡沫保护棉
- **包含：**
 - 1x No. 2.5 (4x) 黑色柔软人造橡胶放大镜 No. 3611-N-2.5
 - 1x 黑色阳极氧化铝生耳叉 No. 5767-S.
 - 1x 黑色纤维擦拭布，250 x 250 mm No. 7850-2-N.
 - 1x 刷子 No. 6417.
 - 1x 玻璃清洁喷雾 No. 7821-GS.
 - 1x 塑料筒，带 2 支清洁枝条 (Ø 3 mm) No. 2583-T.

STARTER SERVICE KIT



7814

SWISS MADE



250 x 210 x 70 mm



710 g

STARTER SERVICE KIT tool case

For the change of bracelets and small interventions.

- Contains: 18 specialised tools and accessories
- Content:
 - 1x Fine tool with bars N° 5767-F
 - 1x Tweezers N° 7024-1
 - 1x Tweezers N° 7423-2A
 - 1x Screwdriver Ø 1.00 mm N° 30081-100
 - 1x Screwdriver Ø 1.20 mm N° 30081-120
 - 1x Knife and case opener N° 7403
 - 1x Blower N° 30540
 - 1x Key for opening screwed backs N° 7662
 - 1x Gel casing cushion N° 5395-55-N
 - 1x Correction tool N° 6892
 - 2x Spare chuck for polygonal cases N° 2819-A
 - 1x Plastic Eyeglass N° 2611-TN-2.5
 - 1x Microfibre wiper N° 7850-2-N
 - 1x Tube with 2 pins and 2 spare bits
(N° 6767-A / N° 6767-B / N° 6899-M-100 / N° 6899-M-120)

入门工具套装

用于更换表带和一些其它小工序。

- 包含：18 个专用工具和配件
- 含有：
 - 1x 生耳叉 N° 5767-F 1x 镊子 N° 7024-1
 - 1x 镊子 N° 7423-2A
 - 1x 螺丝刀 Ø 1.00 mm N° 30081-100 1x 螺丝刀 Ø 1.20 mm N° 30081-120
 - 1x 开底盖刀 N° 7403
 - 1x 吹风球 N° 30540
 - 1x 用于打开螺纹后盖的工具 N° 7662 1x 凝胶表垫 N° 5395-55-N
 - 1x 校正工具 N° 6892
 - 2x 用于多边形表壳的备用卡头 N° 2819-A 1x 合成塑料放大镜 N° 2611-TN-2.5
 - 1x 超细纤维擦拭布 N° 7850-2-N
 - 1x 胶筒，带 2 个销钉和 2 个备用刀嘴
(N° 6767-A / N° 6767-B / N° 6899-M-100 / N° 6899-M-120)



Discover our different leaflets
扫码下载其他小册子

Stamp of the distributor/retailer | 经销商/零售商的印章